Taylor-Dow 1td.

SOUTHAM ROAD, BANBURY, OXON., ENGLAND

TELEPHONE: BANBURY 4287 (2 lines) Hours of Business: 9 a.m.-6 p.m. Daily

PRICE LIST OF PERFORMANCE EQUIPMENT FOR B.S.A. MOTORCYCLES. GOLD STAR. ROCKET GOLD STAR. SUPER ROCKET. SHOOTING STAR. B.40. C.15 TRIALS AND SCRAMBLES.

	1	PETROL TANKS			
T-D.	1.	"The Clubman" 5 gallon alloy tank. Monza Q.A. Filler. Polished or painted. Fits G.S.	£	s.	d.
		and R.G.S	20	17	6
T-D.	3.	Racing Gold Star	19	10	0
T-D.	4.	painted. Fits R.G.S. or Gold Star "Moto-Cross" 2 gallon alloy tank. Monza Q.A. Filler. Centre bolt fitting. Fits Gold	19	10	0
T-D.	5.	Star, B.40 and C.15	13	10	0
		bolt fitting. Red, white or blue finish	7	18	6
		OIL TANKS			
T-D.	6.	plied complete with pipes and all fittings. Central Monza Q.A. alloy filler cap. Gold			
T-D.	7.	plied c/w pipes and all fittings. Side filler	11	10	0
T-D.	8.	neck with standard screw cap. Gold Star	11	10	0
		with standard screw cap	11	10	0

	SPECIAL SEATS	£	s.	d.
T-D. 9.	Inset mountings. Supplied c/w Support loop. Vynide covered. Sorbo padded. Cutaway			
T-D. 10.	for centre oil tank filler Mk. II Clubman Seat. Glassfibre base. Vynide covered. Black with red piping. For Gold		5	
T-D. 11.	Star and R.G.S Gold Star Scrambles seat. Covered with		0	0
T-D. 12.	new waterproof tough plastic material Lightweight Trials seat for most makes including B.S.A. C.15, Greeves, Dot, F.B.	6	5	0.
T-D. 13.	and James Lightweight Scrambles Seat. Vynide cov-	2	17	6
T-D. 14.	ered. 4 bolt fitting Lightweight Scrambles Seat. Similar to T-D.13, but fitted with tough waterproof	3	2	6
T-D. 15.	cover	3	12	6
	Ariel Arrow, Triumph, Norton 650SS, etc.	4	5	0
	AIR FILTERS			
T-D. 16.	B.S.A. Gold Star Air Filter Assy. Including elements. P.V.C. Carb. Connector and			
	mounting brackets		5	0
	Air Filter Elements. Gold Star P.V.C. Connectors. Gold Star		10 2	0
T-D. 17.	C.15 Vokes type filter assy	1	7	6
1-0.17.	air intake Vokes circular filter for Monobloc type 389		17	6
	Vokes circular filter for Monobloc type 389 as fitted to Rocket Gold Star	1	15	0
T-D. 18.	EXHAUST PIPES Gold Star 2-piece exhaust pipe, fits over			
	footrest. Halves supplied separate. Used	, metal	^	^
	by all leading riders Front or rear half		0 10	0
T-D. 19.		2	17	6
T-D. 20.	Trials exhaust pipe. C.15-Trials. Fits inside	₩.		
T-D. 21.	frame Siamese Ex. Pipes for R.G.S. and A.10 S.R.		17 10	6
	Road racing exhaust pipe for 350cc Gold			
T-D. 23.	Star. 13/4 dia		12	
	Star. $1\frac{7}{8}$ dia	3	12	6
	SILENCERS AND MEGAPHONES			
T-D. 24.	Clubman's Gold Star silencer. Fits $1\frac{3}{4}$ Ex. pipe	2	12	6

SILENCER	S AND MEGAPHONES—continued			
T-D. 25.			s. 12	
T-D. 26.	pipe (use in conjunction with T-D.21) Trials silencer for C.15 Trials Model (use in			
T-D. 27.	conjunction with T-D.20) Scrambles Silencer. Length of Barrel 8".	1	5	0
1-0.27.	Diam. of Barrel $3\frac{1}{2}$ ". Length of Tail pipe 5". Ex. Pipe dia. $1\frac{3}{4}$ ". Other Ex. Pipe diameters			
	to order	1	15	0
T-D. 28.	Road Racing Gold Star. 350cc. Reverse	,	7	4
T-D. 29.	cone megaphone. Fits 1¾ Ex. Pipe diam Road Racing Gold Star 500cc Reverse Cone			
	Megaphone. Fits $1\frac{7}{8}$ Ex. Pipe	3	7	6
	ENGINE COMPONENTS			
T-D. 30.	"Spitfire" Camshaft. For A.7.S.S., A.10 Flash, A.10.R.R., A.10.S.R., and R.G.S. Gives valve			
	timing as follows:— I.O. B.T.D.C. 51°			
	I.C. A.B.D.C. 68°			
	E.O. B.B.D.C. 78° E.C. A.T.D.C. 37°	3	5	0
T-D. 31.	C.15 Scrambles. Camshaft. B.S.A. Part			
	No. 40-478. I.O. B.T.D.C. 51°			
	IC ABDC 68°			
	E.O. B.B.D.C. 78° E.C. A.T.D.C. 37°	2	12	6
T-D. 32.	H.C. Piston C.15. 10.–1 CR. Std. $+\frac{1}{2}$ mm and $+1$ mm	2	7	6
T-D. 33.	H.C. Piston. DB350 G. Star. 10-1 CR. Std.			
T-D. 34.	bore 78mm only H.C. Slipper Sand cast DBD 500 Gold Star.	5	18	6
1-0.54.	10.5-1 CR. Std. $+\frac{1}{2}$ mm O/S and $+1$ mm			
T-D. 35.	O/S H.C. Full Skirt sand cast piston. 10-1 CR.		8	
	500 G. Star. Std. and +.020 O/S	4	0	0
T-D. 36.	H.C. Pistons. A.10 Flash, A.10 R.R., A.10 S.R. R.G.S. 9-1 CR.			
	Std. $+.020$, $+.030$ and $+.040$	1	10	0
T-D. 37.	O/S per pair W & S Valve springs:	7	10	U
	Seat Poundage 96 .440 Lift Poundage 230			
	Installed length 1–9/32"			
	Without any modifications will fit: B.S.A. Gold Star 350 DB., 500			
	D.B. and DBD per set	4	10	0
	B.S.A. C.15 Scrambles and SS.80 per set		10	0
	Norton 650 Sports Special per set As supplied and used in the V.8 Climax Formu		0	0

	GEARBOX COMPONENTS	£	s.	d.
T-D. 38.	Touring Gear Ratios. B.S.A. Clubman Gold Star. 500cc. Bottom 12-90-1 Equals 44 mph @ 7000 rpm Second 8-79-1 ,, 66 mph @ 7000 rpm Third 6-05-1 ,, 89 mph @ 7000 rpm Top 5-0-1 ,, 105 mph @ 7000 rpm Price of Gear Cluster	10	10	0
T-D. 39.	Gearbox mainshaft for S.C.T. Gearbox to suit Norton Clutch Assy		0	
	DEAD WHITEL CODOCNETS			
T-D. 40.	REAR WHEEL SPROCKETS B.S.A. C.15 Trials and Scrambles. 52T Also steel and alloy to fit 54T D.7 hubs, price on appli- 56T cation. 60T 64T	1	7 7 10 12 12	0
	FRONT FORKS AND HANDLEBARS			
T-D. 41.	Superleggera Fork Conversion Kit comprising: Polished light alloy top Yoke 2 lengthened Ph. Bronze fork slider bushes 1 pr. Fork dampers Alloy steering damper knob and rod	1	10 10 5 10	0
	Reduced total fork movement to 4 inches. Improves fork action with effective two-way damping. Reduces top weight. Increases frame clearance due to restriction on compression of forks (approx. $1\frac{1}{2}$ inches).	£5	15	6
T-D. 42.	T-D Fork Dampers will fit any B.S.A. telefork per pair	1	5	n
	AITERS, Etc.			
T-D. 43.	Extra long—extra strong—new design. Deep convolutions—P.V.C. Oil resistant per pair Set of 4 clips to suit per set		9 2	6
T-D. 44.	B.S.A. Pattern Rubber fork gaiters as fitted to C.15 and R.G.S per pair		15	0
T-D. 45.	Short fork spring covers for use with clip-on bars. Heavy chromed finish per pair	2	0	0
,T-D. 46.	Modified spindle to adapt Norton front	1		
T-D. 47.	Streamlined racing front number plate and flyscreen supplied complete with fittings	3		

FORKS, Et	c.—continued	£	s.	d.
	Headlamp fairing and cobex flyscreen. Fits			
	around headlamp rim. Special mounting brackets supplied	3	5	0
T-D. 49.	brackets supplied	,	3	٠
	take existing levers. Chrome finish			
T D F0	per pair	1	18	0
	Scrambles handlebars $\frac{Z''}{8}$ dia. Lined and braced	1	15	0
	Alloy quick action twist grip		2	ŏ
T-D. 52.	Nylon quick action twist grip		18	6
	CYCLE PARTS			
T-D. 53.	Alloy primary chainguard. Encloses full run			
	of chain. Oil drain fitted. Supplied c/w			
T D F4	brackets. To fit Gold Star	2	7	6
T-D. 54.	Chain oiler. Reservoir c/w tap and mount-	2	7	6
T-D. 55.	ing bracket Twin feed primary chain oiler assy. A.M.C.	A.		0
	type	2	5	0
1-D. 56.	Alloy rear chainguard for C.15 trials	1	10	0
T-D. 57.	Alloy mudguards for C.15 trials and	2	0	0
T-D. 58.	scrambler per pair Alloy mudguards for Gold Star scrambler	_	U	٠
	per pair	2	0	0
T-D. 59.	Lightweight chromed rear mudguard sup-	2	12	,
T-D. 60.	port stay for Gold Star Scrambler Norton Fork Assy Modified fork tubes to		12	6
	Norton Fork Assy. Modified fork tubes to fit B.S.A. Fork Yokes. Supplied ready to			
	fit	19	10	0
	PETROL AND OIL TANK COMPONENTS			
2" MONZ	A light alloy filler cap	1	7	0
2" Threade	ed alloy collar		5	0
2½" MONZ	ZA light alloy filler cap	1	16	6
23" MON	ded alloy collar ZA light alloy filler cap	2	6	6
2 ³ / ₄ " Thread	ded light alloy collar	-	7	6
Threaded	alloy petrol tap bosses. Takes standard			
	nd tap		2	6
Valve	king plugs for:— lifter		1	9
	o drive		i	4
Kicks	tart axle		1	9
	MODIFICATIONS TO OWN UNITS			
A.10 S. R	ocket. Brake pedal modified to suit rear			
footrest	position		12	6
Large Rea	r sprockets fitted to existing rear brake			
by retur	Most chain sizes in steel or alloy. Quotation			
	re seat inserts fitted to cylinder heads			
	per insert	1	10	0

PROPRIETARY EQUIPMENT	s		d.
Woodhead Monroe suspension units for any make or model per pair Girling suspension units for all makes and models,		5	0
	14	١.	0
Dunlop and Avon Road Racing, Trials, Scrambles Tyres, security bolts. Always available from stock.	tu	be	es,
Dunlop alloy rims for any type wheel hub. State type of her rim size required when ordering. Wheels built. Send to hubs and we will return wheels ready to fit. Delivery 3 Lucas ignition and lighting equipment. Racing and company magnetos and spares.	s) we	o ek	ur (s.
BTH magnetos overhauled—spares stocked.			
Official AMAL Spares Stockist.			
G.P. Carbs. complete stocked. All spares for G.P. T.T. and bloc Carbs. always available.	Mo	n	0-
Renold and Perry racing chain of all sizes.			
Castrol oils and lubricants. "R" oil always available.			

CLOTHING AND SUNDRIES

Lodge and Champion plugs, all 10mm and 14mm Grades stocked.

CLOTHING AND SUNDRIES			
Barbour suits	11	17	6
Belstaff Trialsmaster suits			
B.S.A "Gold Star" Ties—Blue or Maroon		14	
B.S.A. Gold Star 3" Pocket badges		6	0
B.S.A. Lapel Badges each		1	6
B.S.A Gold Star 350 or 500cc Tank Transfe	r		
$3\frac{1}{2}$ Diameter each		1	3
"Gold-Top" Zip back racing boots. Ankle shaped			
Excellent quality Dents racing gloves—Horsehide per pair Gold Star Service Manuals	. 4	19	
Dents racing gloves—Horsehide per pair	. 1	9	6
Gold Star Service Manuals	COTS	3	6
Gold Star Spares Lists	OF STREET	5	0
Everoak "Racemaster" A.C.U. stamped Space Type			
Helmets	. 4	15	
Cromwell low crown T.T. Helmets. A.C.U. Stamped	3	12	4
Octopus racing goggles from 15/- to 75/			
Special gloves for scrambles and trials. Pigskin palm			
Cape Leather Backs. Wrist length per pair	. 1	8	0
DOLPHIN FAIRINGS BY:-			
AVON — BUTLER — JAKEMAN — P	FFI		161

Prices subject to alteration without prior notification.

READ THE T-D COLUMN EVERY WEEK IN MOTORCYCLE NEWS

1st FEBRUARY 1963.